

Recon Specifications

STANDARD FEATURES

Windows Mobile 2003 software for Pocket PCs
200 MHz or 400 MHz Intel PXA255 XScale processor
64 MB high-speed SDRAM
64 MB or 128 MB nonvolatile Flash storage
Sunlight-readable color TFT display
Rugged waterproof design
15 hours of continuous room-temperature operation with default settings

STANDARD SOFTWARE

Pocket Word
Pocket Excel
Inbox (Outlook e-mail client)
Calendar
Contacts
Tasks
Notes
Calculator
Desktop version of Outlook
Windows Media Player
Microsoft Pictures
ActiveSync 3.7
Online Help

STANDARD ACCESSORIES

Rechargeable PowerBoot Module
Standard CF-Cap
AC charger
USB data cable
User's guide
CD-ROM
Hand strap
Two stylus pens
Package of 10 screen protectors

OPTIONAL ACCESSORIES

Carry case
Deluxe case with belt clip and neck strap
Stylus lanyard
Serial interface cable
AA PowerBoot Module
Extended CF-Cap
Optical CF-Cap
Tripod bracket, range pole bracket
12V vehicle charging cable
CompactFlash cards—GPS, GPRS, barcode imager, camera
Socket Communications 802.11 or bluetooth kit

PHYSICAL

Size
6.50" (16.5 cm) x 3.75" (9.5 cm) x 1.75" (4.5 cm)
Weight
17 ounces (490 g) including rechargeable PowerBoot Module

ENVIRONMENT

Operating temperature
-22 to 140 °F (-30 to 60 C)
Humidity
MIL-STD-810F, Method 507.4
Water
IP67, sealed against accidental immersion (1 m for 30 min.)
MIL-STD-810F, Method 512.4, Procedure I
Drop
MIL-STD-810F, Method 516.5, Procedure IV
26 drops from 4 ft (1.22 m)
onto plywood over concrete
6 additional drops at -4 °F (-20 C)
6 additional drops at 140 °F (60 C)

ENVIRONMENT, cont.

Sand and dust
IP67, MIL-STD-810F, Method 510.4, Procedures I & II
Vibration
MIL-STD-810F, Method 514.5, Procedure I, Fig. 17 & 18
Altitude
MIL-STD-810F, Method 500.4, Procedures I, II & III
15,000 ft at 73 °F (23 C)

ELECTRICAL

Processor
Intel PXA255 XScale CPU
200 MHz (Recon 200)
400 MHz (Recon 400)
Memory
64 MB high-speed SDRAM
~6 MB reserved
Storage
Onboard nonvolatile NAND Flash
64 MB (Recon 200)
128 MB (Recon 400)
~16 MB reserved
Expansion
1x Type I and 1x Type II CompactFlash slots
Display
240x320 pixel (1/4 VGA) color TFT
with LED front light
Batteries
3800 mAh NiMH rechargeable pack

I/O

Standard 9-pin (male) D-shell RS-232 serial and USB ports



The 9-pin RS-232 serial and USB ports accept standard computer cables for maximum compatibility. And the Recon's internal components are fully sealed and protected in case of accidental immersion in water.



The Recon weighs 17 ounces and has rounded edges that fit comfortably in your hand. Optional modules include a AA PowerBoot Module and an Extended CF-Cap (shown) that supports larger accessories such as GPS receivers.



Built to meet military standards, the Recon delivers reliable performance under the toughest field conditions.

Your local TDS dealer



TRIPOD DATA SYSTEMS
A TRIMBLE COMPANY
P.O. Box 947, Corvallis, OR 97339

©2004 Tripod Data Systems, Inc. All rights reserved. Tripod Data Systems, the TDS triangles logo, the TDS icons, Recon, PowerBoot Module, AA PowerBoot Module, CF-Cap, Extended CF-Cap, Optical CF-Cap, Handhelds for the Working World and SOLO View are trademarks of Tripod Data Systems. Windows and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Other brand names and trademarks are property of their respective owners. Color display images shown may vary slightly from actual display. Specifications subject to change.

SANDA 041016




Tough on the job. Easy on you.



With the Recon's Pocket PC operating system, you can run all the applications you use most.



A color screen allows you to take full advantage of your software's features. (Image shown is TDS SOLO View™.)



The Recon includes a variety of input options, including handwriting recognition.



The TDS Recon™ from Tripod Data Systems™ delivers maximum performance and reliability in a lightweight and extremely rugged design that's easy to carry. The waterproof Recon weighs just 17 ounces, and it meets military specifications for drop, vibration and both high and low temperature operation. The Recon works wherever and whenever you need it.

You can count on Recon when portability, data security and maximum operating time are crucial. The innovative modular design saves time and money on long-term service and provides customization options to suit your different applications. The PowerBoot Module™ integrates a 3800 mAh battery pack with industry-standard 9-pin serial and USB ports into a single component you can easily replace even in the field. A standard CF-Cap™ O-ring seal protects the two CompactFlash slots from rain, wind and dust.

Two optional modules add even more versatility: The Extended CF-Cap™ provides room for large CompactFlash cards such as GPS, LAN and wireless modems, and the AA PowerBoot Module™ lets you run the Recon for eight to 16 hours on two AA alkaline or lithium batteries.

Lightweight and comfortable to hold, the Recon is perfect for applications where portability, data security and maximum operating time are vital.



The Recon features the high-performance 200 MHz or 400 MHz Intel XScale processor, a color display with front light, 64 MB of RAM and 64 or 128 MB of nonvolatile Flash storage to protect data from resets or even complete power loss. And with Windows Mobile 2003 software for Pocket PCs, the Recon runs all the applications you use most, including your calendar, e-mail and Pocket versions of Word and Excel.

You never want to compromise in your work. With Recon, you don't have to.



Handhelds for the Working World™